




SPC SPORT COAT

WATER-BASED COATING FOR SPORT TRACKS



USES

- Sport courts and recreational areas, bicycle lanes, walkways, sidewalks
- Anti-slip floor coating for pool decks, patios and porches

FEATURES

- Water-based system that is easy to apply
- Surface finishes can be smooth or with abrasive material added separately.
- UV resistance and good adhesion. Can withstand water soaking.

APPLICATION METHOD

- Ensure that surface is sound, cohesive, clean, dry and free of dust.
- Prime the surface before application. Use acrylic type primers only.
- Roughen smooth concrete surfaces to allow for proper adhesion.
- No priming required for newly laid bituminous surface.
- Apply **COROCOAT X1 Anti-Corrosion Coating** for metal surfaces.
- For better shock absorption, apply **DPC DAMPPROOF COATING** in **3 coats** to 1.5-mm thickness or more.
- Mix thoroughly with a mechanical stirrer at low speed before use.
- Pour and spread **SPC SPORT COAT** using a rubber drag or any other appropriate tools to form a thin, uniform coat.
- Let each coat cure for 3 hours before applying the next coat.

COVERAGE

- **Metal Surface:** **60 – 70 m² / 20 kg-pail** (2 layers with thickness 0.2- 0.3 mm). 0.3 kg/m²
- **Concrete Surface:** **50 – 60 m² / 20 kg-pail** (2 layers with thickness 0.4- 0.5 mm). 0.4 kg/m²

REMARKS

- It is advisable to apply **SPC SPORT COAT** at temperatures between 10 - 35°C .
- Do not apply if rain is expected within 24 hours.
- Ensure there is adequate ventilation during application to promote proper curing.
- Water can be added as needed to **SPC SPORT COAT**.
- Store in a cool, dry place.

WARRIOR PTE LTD

Blk 17 Marsiling Industrial Estate Road 1 # 01-11 Singapore 739279

Tel: (65) 6364 5100 , 6364 5060 , 6367 3676

war99@singnet.com.sg www.warrior.com.sg





SPC SPORT COAT

WATER-BASED COATING FOR SPORT TRACKS

TECHNICAL DATA

- Maximum aggregate size UNE EN 933-1: 1 mm.
- Curing time @ 22°C and 55% RH 24 hours for foot traffic.
- Colours Oxide Red, Green, Yellow and Grey.
- Storage Life 9 months.

PACKING:

SPC SPORT COAT	5-kg pail, 20-kg pail, 200-kg drum
SG 100 SAND GRIT	5-kg bag, 25-kg bag



WARRIOR PTE LTD

Blk 17 Marsiling Industrial Estate Road 1 # 01-11 Singapore 739279

Tel: (65) 6364 5100 , 6364 5060 , 6367 3676

war99@singnet.com.sg www.warrior.com.sg

bizSAFE₃