




SPC SPORT FLOOR COATING

WATER-BASED COATING FOR SPORT TRACKS



USES

- Sport courts and recreational areas, bicycle lanes, walkways, sidewalks
- Anti-slip floor coating for pool decks, patios and porches

FEATURES

- Water-based system that is easy to apply
- Surface finishes can be smooth or with abrasive material added separately.
- UV resistance and good adhesion. Can withstand water soaking.

APPLICATION METHOD

- Ensure that surface is sound, cohesive, clean, dry and free of dust.
- Prime the surface before application. Use acrylic type primers only.
- Roughen smooth concrete surfaces to allow for proper adhesion.
- No priming required for newly laid bituminous surface.
- Apply an anti-corrosion coating for metal surfaces.
- For better shock absorption, apply DPC DAMPPROOF COATING in 3 coats to 1.5-mm thickness or more.
- Mix thoroughly with a mechanical stirrer at low speed before use.
- Pour and spread **SPC SPORT COAT** using a rubber drag or any other appropriate tools to form a thin, uniform coat.
- Let each coat cure for 3 hours before applying the next coat.



COVERAGE

- Concrete Surface: 50 – 60 m² / 20 kg-pail (2 layers with thickness 0.4- 0.5 mm) or 0.4 kg / m²
- Metal Surface: 60 – 70 m² / 20 kg-pail (2 layers with thickness 0.2- 0.3 mm) or 0.3 kg / m²

REMARKS

- It is advisable to apply SPC SPORT COAT at temperatures between 10 - 35°C .
- Do not apply if rain is expected within 24 hours.
- Ensure there is adequate ventilation during application to promote proper curing.
- Water can be added as needed to SPC SPORT COAT.
- Store in a cool, dry place.



WARRIOR PTE LTD

Blk 17 Marsiling Industrial Estate Road 1 # 01-11 Singapore 739279

Tel: (65) 6364 5100

war99@singnet.com.sg www.warrior.com.sg

bizSAFE₃



SPC SPORT FLOOR COATING

WATER-BASED COATING FOR SPORT TRACKS

TECHNICAL DATA

- Maximum aggregate size UNE EN 933-1: 1 mm
- Curing time @ 22°C and 55% RH: 24 hours for foot traffic.
- Colours: Oxide Red, Green, Yellow and Grey
- Storage life: 9 months

PACKING

SPC SPORT COAT 5 kg 20 kg

SG 100 SAND GRIT 5-kg bag, 25-kg bag



Disclaimer:

The information provided in this brochure is ensured to be as accurate as possible at the time of inclusion, however there may be inadvertent and occasional errors which may have slipped from our notice. Warrior Pte Ltd does not guarantee and make no representations or warranties of any kind about the information, advice and opinions provided and reserves the right to make changes and corrections at any time, without prior notice to any parties. Warrior Pte Ltd accepts no liability for any inaccuracies or omissions in its brochure and any decisions made based on information and opinions contained in the brochure is the sole responsibility of the user.



WARRIOR PTE LTD

Blk 17 Marsiling Industrial Estate Road 1 # 01-11 Singapore 739279

Tel: (65) 6364 5100

war99@singnet.com.sg www.warrior.com.sg

bizSAFE₃